

Facility Name

Anti-Coagulation Monitoring Report

Page 1

Report Date:04/30/09 08:03

AH 3NW CCLO 2 xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/29/09
 HT: 66inches HT:167.64 cm WT: 80KG IBW: 63.79KG Sex:M 68 Years DOB:00/00/00
 Admit Dx: PVDEXPLORATION Weight used in Creat CL 70.28

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
warfarin	5.0 mg	1.0 tab(s) PO	1xDaily	04/29/09 17:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 06:00				12.7 g/dL	37.6 %	237 th/uL	1.60 mg/dL	43.9
04/29/09 09:50				14.3 g/dL	41.5 %	297 th/uL	1.6 mg/dL	43.9

AH 3NW CI01 P xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/28/09
 HT: NA WT: 0KG IBW: ?KG Sex:F 48 Years DOB:00/00/00
 Admit Dx: RESPIRATORY ARREST CHF Weight used in Creat CL 0.00

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
heparin	5000.0 unit(s)	1.0 mL Subcut	q8hr	04/29/09 14:56	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 04:30				10.5 g/dL	30.6 %	160 th/uL	2.00 mg/dL	NA
04/29/09 05:36				9.4 g/dL				NA
04/29/09 03:22				12.0 g/dL	35.8 %	189 th/uL	2.0 mg/dL	NA
04/28/09 10:20	0.95	11.1 second(s)	20.7 second(s)					NA
04/28/09 07:25					45.5 %	345 th/uL		NA

AH 3NW CI04 P xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/04/09
 HT: 72inches HT:182.88 cm WT: 141KG IBW: 77.59KG Sex:M 76 Years DOB:00/00/00
 Admit Dx: WEAKNESS, DEHYDRATION Weight used in Creat CL 102.92

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
-------	----------	-------	-----------	-------	------

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 04:58				5.4 g/dL				
04/30/09 04:00				9.2 g/dL	26.9 %	225 th/uL	1.70 mg/dL	53.8
04/29/09 17:30							1.9 mg/dL	48.2
04/29/09 04:35				9.4 g/dL	27.4 %	233 th/uL		
04/28/09 20:29					27.2 %	235 th/uL		
04/28/09 12:15	1.24	14.7 second(s)	29.9 second(s)					

AH 3NW CI06 P xxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/25/09
 HT: 68inches HT:172.72 cm WT: 127KG IBW: 68.39KG Sex:M 65 Years DOB:00/00/00
 Admit Dx: COPD Weight used in Creat CL 91.95

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
enoxaparin	130.0 mg	0.9 mL Subcut	q12hr	04/27/09 10:25	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 04:17				10.6 g/dL				
04/30/09 04:15				13.5 g/dL	39.7 %	200 th/uL	1.10 mg/dL	87.1
04/29/09 05:31				15.8 g/dL				
04/29/09 03:50					41.5 %	183 th/uL	1.1 mg/dL	87.1
04/28/09 04:15					38.2 %	176 th/uL		
04/27/09 08:25	1.20	14.2 second(s)	23.6 second(s)					
04/25/09 09:00	1.21	14.3 second(s)	27.2 second(s)					

AH 3NW CI09 P xxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/29/09
 HT: 72inches HT:182.88 cm WT: 80KG IBW: 77.59KG Sex:M 58 Years DOB:00/00/00
 Admit Dx: RENAL FAILURE,FLUID OVERLOAD Weight used in Creat CL 77.60

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
heparin	25000.0 unit(s)	250.0 mL IV		04/29/09 11:04	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 04:25			65.0 second(s)	8.7 g/dL	25.7 %	337 th/uL	8.30 mg/dL	10.6
04/30/09 04:17				6.5 g/dL				
04/29/09 16:28				8.6 g/dL				
04/29/09 10:00					26.9 %	382 th/uL	6.0 mg/dL	14.7
04/28/09 22:45					28.2 %	446 th/uL		

AH 3SE 0351 B xxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/19/09
 HT: 66inches HT:167.64 cm WT: 59KG IBW: 58.79KG Sex:F 86 Years DOB:00/00/00
 Admit Dx: ISCHEMIA LT FOOT Weight used in Creat CL 58.80

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
warfarin	2.5 mg	1.0 tab(s) PO	1xDaily	04/26/09 17:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 03:55	1.21	14.2 second(s)						
04/29/09 04:50	1.28	15.1 second(s)		9.2 g/dL	27.5 %	233 th/uL	1.10 mg/dL	34.1
04/28/09 04:20	1.31	15.5 second(s)						
04/27/09 04:10				10.1 g/dL	30.2 %	243 th/uL		
04/25/09 04:45				10.3 g/dL	30.4 %	201 th/uL	0.9 mg/dL	37.5*

AH 3SE 0356 P xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/27/09
 HT: 66inches HT:167.64 cm WT: 91KG IBW: 58.79KG Sex:F 89 Years DOB:00/00/00
 Admit Dx: ALTERED MENTAL STATUS,UTI Weight used in Creat CL 71.64

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
heparin	5000.0 unit(s)	1.0 mL Subcut	2xDaily	04/28/09 10:32	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 04:00				11.2 g/dL	33.4 %	282 th/uL	1.40 mg/dL	30.8
04/29/09 04:51				10.3 g/dL	30.2 %	240 th/uL	1.4 mg/dL	30.8
04/28/09 04:15				10.5 g/dL	31.5 %	224 th/uL		

AH 3SE 0358 P xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/28/09
 HT: 62inches HT:157.48 cm WT: 59KG IBW: 49.59KG Sex:F 84 Years DOB:00/00/00
 Admit Dx: DVT,LEUKOPENIA Weight used in Creat CL 49.60

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
enoxaparin	60.0 mg	0.6 mL Subcut	q12hr	04/29/09 02:44	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 03:50	1.03	12.1 second(s)		8.9 g/dL	25.0 %	149 th/uL	0.80 mg/dL	32.8*
04/28/09 21:25	1.04	12.2 second(s)	24.7 second(s)	9.8 g/dL	27.3 %	157 th/uL	1.0 mg/dL	32.8

AH 3SE 0360 P xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/26/09
 HT: 64inches HT:162.60 cm WT: 67KG IBW: 54.23KG Sex:F 78 Years DOB:00/00/00
 Admit Dx: PARTIAL SBO Weight used in Creat CL 59.46

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
warfarin	2.5 mg	1.0 tab(s) PO	1xDaily	04/27/09 03:01	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 04:05				10.0 g/dL	30.4 %	282 th/uL	1.30 mg/dL	33.5
04/29/09 04:52				10.3 g/dL	31.1 %	290 th/uL	1.3 mg/dL	33.5
04/28/09 04:00				9.5 g/dL	28.4 %	268 th/uL		
04/26/09 19:16	1.23	14.5 second(s)	29.7 second(s)					

AH 3SE 0362 P xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/28/09
 HT: 65inches HT:165.10 cm WT: 61KG IBW: 56.49KG Sex:F 88 Years DOB:00/00/00
 Admit Dx: AMS, CONFUSION Weight used in Creat CL 56.50

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
enoxaparin	30.0 mg	0.3 mL Subcut	1xDaily	04/29/09 12:41	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 05:50				11.9 g/dL	37.5 %	285 th/uL	1.50 mg/dL	23.1
04/29/09 05:02				11.7 g/dL	36.2 %	260 th/uL	1.9 mg/dL	18.3
04/28/09 14:10				11.4 g/dL	35.2 %	253 th/uL		

AH 3SW 0301 B xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/14/09
 HT: 76inches HT:193.04 cm WT: 87KG IBW: 86.79KG Sex:M 82 Years DOB:00/00/00
 Admit Dx: ABDOMINAL AORTIC ANEURYSM Weight used in Creat CL 86.80

ACTIVE ORDERS:

Order	Strength		Route	Frequency	Start	Stop
enoxaparin	90.0 mg	0.9 mL	Subcut	q12hr	04/28/09 12:39	
warfarin	7.5 mg	1.0 tab(s)	PO	1xDaily	04/28/09 17:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/29/09 10:54				14.4 g/dL				
04/29/09 06:00	1.04	12.2 second(s)		12.8 g/dL	37.8 %	275 th/uL	0.80 mg/dL	69.9*
04/28/09 03:35				13.4 g/dL	39.9 %	232 th/uL	0.9 mg/dL	69.9*
04/25/09 03:50					37.3 %	142 th/uL		

AH 3SW 0302 A xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/23/09
 HT: 64inches HT:162.56 cm WT: 81KG IBW: 59.19KG Sex:M 88 Years DOB:00/00/00
 Admit Dx: PNEUMONIA Weight used in Creat CL 68.06

ACTIVE ORDERS:

Order	Strength		Route	Frequency	Start	Stop
enoxaparin	40.0 mg	0.4 mL	Subcut	1xDaily	04/23/09 09:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 05:55				11.6 g/dL	34.4 %	163 th/uL	0.70 mg/dL	49.2*
04/29/09 06:30				10.6 g/dL	31.0 %	172 th/uL	0.8 mg/dL	49.2*
04/29/09 05:04				12.0 g/dL				
04/28/09 05:15					35.6 %	171 th/uL		

AH 3SW 0303 A xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/22/09
 HT: 65inches HT:165.10 cm WT: 46KG IBW: 56.49KG Sex:F 80 Years DOB:00/00/00
 Admit Dx: SOB, FAILURE TO THRIVE,ABD PAIN,DEPRESSION WT LO Weight used in Creat CL 46.36

ACTIVE ORDERS:

Order	Strength		Route	Frequency	Start	Stop
enoxaparin	40.0 mg	0.4 mL	Subcut	q12hr	04/29/09 21:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 03:25	1.41	16.7 second(s)		11.3 g/dL	34.3 %	322 th/uL	0.50 mg/dL	32.8*
04/29/09 04:58	1.50	17.8 second(s)						
04/28/09 03:25	1.93	23.2 second(s)		12.3 g/dL	37.1 %	296 th/uL	0.6 mg/dL	32.8*
04/26/09 03:55			35.9 second(s)	11.4 g/dL	34.5 %	286 th/uL		

AH 3SW 0303 B xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/20/09
 HT: 71inches HT:180.34 cm WT: 82KG IBW: 70.29KG Sex:F 72 Years DOB:00/00/00
 Admit Dx: ACUTE RENAL FAILURE,RHABDOMYELITIS Weight used in Creat CL 70.30

ACTIVE ORDERS:

Order	Strength		Route	Frequency	Start	Stop
enoxaparin	30.0 mg	0.3 mL	Subcut	1xDaily	04/23/09 09:40	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 03:30				10.4 g/dL	30.4 %	380 th/uL	0.50 mg/dL	56.4*
04/28/09 03:55				10.7 g/dL	31.5 %	310 th/uL	0.7 mg/dL	56.4*
04/27/09 03:30				11.3 g/dL	33.2 %	275 th/uL		

AH 3SW 0304 A xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/26/09
 HT: 71inches HT:180.34 cm WT: 54KG IBW: 75.29KG Sex:M 60 Years DOB:00/00/00
 Admit Dx: HYPOKALEMIA,LT FEMUR FX Weight used in Creat CL 54.09

ACTIVE ORDERS:

Order	Strength		Route	Frequency	Start	Stop
enoxaparin	30.0 mg	0.3 mL	Subcut	q24hr (interval)	04/26/09 21:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 03:35				8.4 g/dL	24.3 %	78 th/uL	0.50 mg/dL	120.2
04/29/09 04:45				9.0 g/dL	25.9 %			
04/27/09 07:21				11.1 g/dL	32.2 %	101 th/uL	0.5 mg/dL	120.2
04/26/09 17:00	1.01	11.9 second(s)	30.0 second(s)			130 th/uL		

AH 3SW 0304 B xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/25/09
 HT: 66inches HT:167.64 cm WT: 60KG IBW: 63.79KG Sex:M 60 Years DOB:00/00/00
 Admit Dx: CHF,COPD Weight used in Creat CL 60.00

ACTIVE ORDERS:

Order	Strength		Route	Frequency	Start	Stop
enoxaparin	30.0 mg	0.3 mL	Subcut	1xDaily	04/28/09 09:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 03:43				12.7 g/dL	39.3 %	335 th/uL	2.40 mg/dL	27.8
04/29/09 05:05				12.6 g/dL	38.8 %	341 th/uL	2.8 mg/dL	23.8
04/28/09 03:20				11.6 g/dL	35.4 %	305 th/uL		
04/25/09 07:15	1.18	13.9 second(s)	34.8 second(s)					

AH 3SW 0305 B xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/24/09
 HT: 69inches HT:175.26 cm WT: 43KG IBW: 70.69KG Sex:M 61 Years DOB:00/00/00
 Admit Dx: PNEUMONIA Weight used in Creat CL 42.73

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
enoxaparin	40.0 mg	0.4 mL Subcut	q24hr (interval)	04/25/09 01:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 04:10				10.3 g/dL	31.7 %	94 th/uL	0.40 mg/dL	117.2
04/29/09 04:45				10.7 g/dL	32.0 %	99 th/uL	0.4 mg/dL	117.2
04/28/09 03:35				10.2 g/dL	30.8 %	107 th/uL		
04/24/09 12:45	1.41	16.7 second(s)	32.7 second(s)					

AH 3SW 0306 A xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/26/09
 HT: 64inches HT:162.56 cm WT: 51KG IBW: 54.19KG Sex:F 73 Years DOB:00/00/00
 Admit Dx: UROSEPSIS Weight used in Creat CL 50.91

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
heparin	5000.0 unit(s)	1.0 mL Subcut	q8hr	04/27/09 14:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 03:40				10.5 g/dL	30.2 %	328 th/uL	0.50 mg/dL	40.3*
04/29/09 04:50				10.4 g/dL	29.9 %	335 th/uL	0.5 mg/dL	40.3*
04/28/09 03:40				10.2 g/dL	29.5 %	300 th/uL		
04/27/09 00:46	1.52	18.1 second(s)						

AH 3SW 0307 A xxxxxxxxxxxx **FIN:xxxxxxx** MRN:xxxxxxxxxxxxxxxxx ADMDT:04/28/09
 HT: NA WT: 0KG IBW: ?KG Sex:F 73 Years DOB:00/00/00
 Admit Dx: DIVERTICULITIS,PERITONITIS,GL BLEED Weight used in Creat CL -55.80

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
heparin	25000.0 unit(s)	250.0 mL IV		04/29/09 10:19	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 03:20	2.03	24.4 second(s)	42.3 second(s)	10.7 g/dL	32.6 %	257 th/uL	0.80 mg/dL	NA
04/29/09 17:50	2.20	26.6 second(s)						NA
04/29/09 04:50	2.39	29.0 second(s)		11.1 g/dL	33.3 %	266 th/uL	0.7 mg/dL	NA
04/28/09 20:30			42.8 second(s)	11.9 g/dL	35.2 %	287 th/uL		NA

AH 3SW 0307 B

xxxxxxxxxx

FIN:xxxxxxx

MRN:xxxxxxxxxxxxxxxxxx

ADMDT:04/27/09

HT: 64inches

HT:162.56 cm

WT: 113KG

IBW: 54.19KG

Sex:F

67 Years

DOB:00/00/00

Admit Dx: DYSPNEA

Weight used in Creat CL 77.61

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
enoxaparin	40.0 mg	0.4 mL	Subcut 1xDaily	04/28/09 11:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 04:58				10.9 g/dL				
04/30/09 03:30	0.91	10.6 second(s)		11.0 g/dL	35.0 %	359 th/uL	1.20 mg/dL	55.7
04/29/09 05:04				12.2 g/dL				
04/29/09 05:00	1.02	12.0 second(s)			35.9 %	361 th/uL	1.2 mg/dL	55.7
04/28/09 14:03	1.04	12.2 second(s)						
04/28/09 03:45					39.3 %	348 th/uL		

AH 3SW 0309 P

xxxxxxxxxx

FIN:xxxxxxx

MRN:xxxxxxxxxxxxxxxxxx

ADMDT:04/25/09

HT: 61inches

HT:154.94 cm

WT: 43KG

IBW: 47.29KG

Sex:F

77 Years

DOB:00/00/00

Admit Dx: PULMONARY EMBOLISM, UTI

Weight used in Creat CL 43.00

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
enoxaparin	40.0 mg	0.4 mL	Subcut q12hr	04/25/09 21:00	
warfarin	5.0 mg	1.0 tab(s)	PO 1xDaily	04/27/09 17:00	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 03:20	1.81	21.8 second(s)		9.5 g/dL	28.0 %	203 th/uL		
04/29/09 04:55	1.50	17.9 second(s)						
04/28/09 16:15						Clumped		
04/28/09 03:45				8.6 g/dL	25.3 %	42 th/uL	0.70 mg/dL	32.0*
04/27/09 10:00				9.5 g/dL	27.0 %			
04/27/09 04:00	1.13	13.3 second(s)	34.1 second(s)					
04/26/09 06:13							0.6 mg/dL	32.0*

AH 3SW 0316 B

xxxxxxxxxx

FIN:xxxxxxx

MRN:xxxxxxxxxxxxxxxxxx

ADMDT:04/08/09

HT: 68inches

HT:172.72 cm

WT: 95KG

IBW: 63.39KG

Sex:F

67 Years

DOB:00/00/00

Admit Dx: CELLULITIS LE, NON-HEALING WOUND

Weight used in Creat CL 76.22

ACTIVE ORDERS:

Order	Strength	Route	Frequency	Start	Stop
enoxaparin	40.0 mg	0.4 mL	Subcut 1xDaily	04/28/09 13:58	

LABORATORY RESULTS:

Drawn	INR	PT	APTT	HGB	HCT	PLT	Creat	Creat CL
04/30/09 04:55				8.9 g/dL	28.8 %	192 th/uL	1.80 mg/dL	36.5
04/29/09 06:30				9.2 g/dL	29.5 %	182 th/uL	1.7 mg/dL	38.6
04/28/09 06:00				9.4 g/dL	30.7 %	178 th/uL		